



**Heritage**Plastics

## **PVC PLUMBING PIPE**

**PRESSURE**

**WELL CASING**

**SCHEDULE 40 DWV**

**SEWER & DRAIN**

**SDR35 SOLVENT WELD**

**SDR35 RETAINED GASKET**

**IRRIGATION**

**861 N LISBON STREET  
CARROLLTON, OH 44615**

**330-627-8002**


**330-627-8102 (FAX)**

**5128 W. HANNA AVENUE**

**TAMPA, FL 33634**

**813-884-2525**

**813-889-9483 (FAX)**



**American Owned Manufacturer  
Made in the U.S.A.**



**HeritagePlastics**

861 N LISBON STREET  
CARROLLTON, OH 44615  
330-627-8002  
330-627-8102 (FAX)

5128 W. HANNA AVENUE  
TAMPA, FL 33634  
813-884-2525  
813-889-9483 (FAX)

## PVC PRESSURE PIPE - WHITE \*\*

**BELLED END - 20' LENGTHS**

**PLAIN END - 10' LENGTHS**

**SDR 26 160 PSI**

Shaded areas are special order only - minimum production quantities

NOMINAL SIZE	20' PART NUMBER	20' PALLET QTY BELLED END	10' PART NUMBER	10' PALLET QTY PLAIN END	WEIGHT per 100'	O.D.
1-1/4"	26132	5000	26131	2500	22.5	1.660
1-1/2"	26152	4500	26151	2250	28.9	1.900
2"	26202	3500	26201	1750	44.0	2.375
2-1/2"	26252	2700	-	-	63.3	2.875
3"	26302	1440	26301	720	93.2	3.500
4"	26402	1140	26401	570	152.1	4.500
5"	26502	760	-	-	233.0	5.563
6"	26602	660	-	-	329.9	6.625

**SDR 13.5 315 PSI**

BELL END ONLY!

NOMINAL SIZE	20' PART NUMBER	20' PALLET QTY BELLED END	10' PART NUMBER	10' PALLET QTY	WEIGHT per 100'	O.D.
1/2"	26052	10300	26051	5150	10.6	0.840

**SDR 21 200 PSI**

NOMINAL SIZE	20' PART NUMBER	20' PALLET QTY BELLED END	10' PART NUMBER	10' PALLET QTY PLAIN END	WEIGHT per 100'	O.D.
3/4"	26072	9960	26071	4980	13.1	1.050
1"	26102	9380	26101	4690	17.4	1.315
1-1/4"	21132	5000	21131	2500	26.8	1.660
1-1/2"	21152	4500	21151	2250	34.5	1.900
2"	21202	3500	-	-	53.0	2.375
2-1/2"	21252	2700	-	-	76.8	2.875
3"	21302	1440	-	-	112.7	3.500
4"	21402	1140	-	-	185.8	4.500
5"	21502	760	-	-	284.3	5.563
6"	21602	660	-	-	403.6	6.625

**\*\* PURPLE RECLAIM PIPE AVAILABLE UPON REQUEST**

**\*\* SOLVENT WELD BELL ONLY**

**\*\* CALL FOR AVAILABILITY**

**\*\* MINIMUM PURCHASE REQUIREMENTS APPLY**



861 N LISBON STREET  
 CARROLLTON, OH 44615  
 330-627-8002  
 330-627-8102 (FAX)

5128 W. HANNA AVENUE  
 TAMPA, FL 33634  
 813-884-2525  
 813-889-9483 (FAX)

## PVC PRESSURE PIPE ASTM D 1785 WHITE

### SCHEDULE 40

#### BELLED END - 20' LENGTHS

Shaded areas are special order only - minimum production quantities

NOMINAL SIZE	20' PART NUMBER	20' PALLET QTY BELLED END	10' PART NUMBER	10' PALLET QTY BELLED END	WORKING PRESSURE @ 73.4° F	WEIGHT per 100'	O.D.
1/2"	40052	10300	40051	5150	600 PSI	16.4	0.840
3/4"	40072	9960	40071	4980	480 PSI	21.8	1.050
1"	40102	9380	40101	4690	450 PSI	32.1	1.315
1-1/4"	40132	5000	40131	2500	370 PSI	43.4	1.660
1-1/2"	40152	4500	40151	2250	330 PSI	51.8	1.900
2"	40202	3500	40201	1750	280 PSI	69.5	2.375
2-1/2"	40252	2700	40251	1350	300 PSI	109.6	2.875
3"	40302	1440	40301	720	260 PSI	143.5	3.500
4"	40402	1140	40401	570	220 PSI	204.3	4.500
5"	40502	760	40501	380	190 PSI	277.6	5.563
6"	40602	660	40601	330	180 PSI	360.0	6.625
8"	40802	360	-	-	160 PSI	557.8	8.625
10"	40112	80	-	-	140 PSI	768.3	10.750
12"	40122	60	-	-	130 PSI	1017.1	12.750

### SCHEDULE 80 WHITE PLAIN END \*

NOMINAL SIZE	20' PART NUMBER	20' PALLET QTY PLAIN END	10' PART NUMBER	10' PALLET QTY BELLED END	WORKING PRESSURE @ 73.4° F	WEIGHT per 100'	O.D.
1/2"	80052	10300	-	-	850 PSI	20.5	0.840
3/4"	80072	9960	-	-	690 PSI	27.8	1.050
1"	80102	4700	-	-	630 PSI	40.9	1.315
1-1/4"	80132	5000	-	-	520 PSI	56.7	1.660
1-1/2"	80152	4500	-	-	470 PSI	68.6	1.900
2"	80202	3500	-	-	400 PSI	94.9	2.375
2-1/2"	80252	2700	-	-	420 PSI	144.9	2.875
3"	80302	1440	-	-	370 PSI	193.8	3.500
4"	80402	1140	-	-	320 PSI	283.3	4.500
5"	80502	760	-	-	290 PSI	393.8	5.563
6"	80602	660	-	-	280 PSI	541.1	6.625
8"	80802	360	-	-	250 PSI	831.8	8.625

\*Sch80 also available as special order: White Belled End, Gray Plain End & Gray Belled End



861 N LISBON STREET  
 CARROLLTON, OH 44615  
 330-627-8002  
 330-627-8102 (FAX)

5128 W. HANNA AVENUE  
 TAMPA, FL 33634  
 813-884-2525  
 813-889-9483 (FAX)

## PVC PRESSURE PIPE - WHITE

### SDR 32.5 125 PSI ASTM D2241 Belled End 20'

NOMINAL SIZE	20' PART NUMBER	20' PALLET QTY BELLED END	WEIGHT per 100'	O.D.
2-1/2"	32252	2700	52.1	2.875
3"	32302	1440	76.4	3.500
4"	32402	1140	123.4	4.500
5"	32502	760	186.7	5.563
6"	32602	660	265.2	6.625

### SDR 41 100 PSI ASTM D2241 Belled End 20'

NOMINAL SIZE	20' PART NUMBER	20' PALLET QTY BELLED END	WEIGHT per 100'	O.D.
3"	41302	1440	62.0	3.500
4"	41402	1140	100.7	4.500
5"	41502	760	151.5	5.563
6"	41602	660	212.0	6.625

### SCHEDULE 40 PLAIN END

Special order only - minimum production quantities

NOMINAL SIZE	20' PART NUMBER	20' PALLET QTY	10' PART NUMBER	10' PALLET QTY	WORKING PRESSURE @ 73.4° F	WEIGHT per 100'	O.D.
1/2"	41052	10300	41051	5150	600 PSI	16.4	0.840
3/4"	41072	9960	41071	4980	480 PSI	21.8	1.050
1"	41102	9380	41101	4690	450 PSI	32.1	1.315

### SCH40 DWV DUAL MARKED PLAIN END ASTM D 2665 ASTM D 1785

NOMINAL SIZE	20' PART NUMBER	20' PALLET QTY PLAIN END	10' PART NUMBER	10' PALLET QTY PLAIN END	WORKING PRESSURE @ 73.4° F	WEIGHT per 100'	O.D.
1-1/4"	44132	5000	44131	2500	370 PSI	43.4	1.660
1-1/2"	44152	4500	44151	2250	330 PSI	51.8	1.900
2"	44202	3500	44201	1750	280 PSI	69.5	2.375
3"	44302	1440	44301	720	260 PSI	143.5	3.500
4"	44402	1140	44401	570	220 PSI	204.3	4.500
6"	44602	660	44601	330	180 PSI	360.0	6.625
8"	44802	360	44801	180	160 PSI	557.8	8.625



861 N LISBON STREET  
 CARROLLTON, OH 44615  
 330-627-8002  
 330-627-8102 (FAX)

5128 W. HANNA AVENUE  
 TAMPA, FL 33634  
 813-884-2525  
 813-889-9483 (FAX)

**SCH40 WELL CASING ASTM F 480 \*\***  
**BELLED END - 20' LENGTHS - WHITE**

Impact Class - ICO

NOMINAL SIZE	20' + BELL PART NUMBER	20' PALLET QTY BELLED END	WORKING PRESSURE @ 73.4° F	WEIGHT per 100'	O.D.
2"	47202	3500	280 PSI	69.5	2.375
3"	47302	1440	260 PSI	143.5	3.500
4"	47402	1140	220 PSI	204.3	4.500
5"	47502	760	190 PSI	277.6	5.563
6"	47602	660	180 PSI	360.0	6.625

\*\* Well Casing: 20' lay length, depth mark, chamfered edge

**PVC SEWER & DRAIN ASTM D 2729**  
**BELLED END - 10' LENGTHS - WHITE**

NOMINAL SIZE	10' PART NUMBER	10' PALLET QTY BELLED END	SOLID OR PERFORATED	WEIGHT per 100'	O.D.
3"	51030	1000	SOLID	47.00	3.250
	53030	1000	4-8 PERF	47.00	3.250
4"	51040	950	SOLID	65.00	4.215
	53040	950	4-8 PERF	65.00	4.215
	54040	950	4-6-8 PERF	65.00	4.215
	55040	950	4-8-12 PERF	65.00	4.215
6"	51060	390	SOLID	129.00	6.275
	53060	390	4-8 PERF	129.00	6.275
	54060	390	4-6-8 PERF	129.00	6.275

Perforated pipe is available in 2-Hole & 3-Hole configurations:

- 2-Hole      5/8" perforations - 5" on center - 120 degrees apart - 4-8 o'clock positions
- 3-Hole      5/8" perforations - 5" on center - 4-6-8 OR 4-8-12 o'clock positions



861 N LISBON STREET  
 CARROLLTON, OH 44615  
 330-627-8002  
 330-627-8102 (FAX)

5128 W. HANNA AVENUE  
 TAMPA, FL 33634  
 813-884-2525  
 813-889-9483 (FAX)

## PVC SEWER PIPE ASTM D 3034 SDR35

**BELLED END - 10' LENGTHS - WHITE OR GREEN**

**4 & 6" 3034 SWB SOLID AVAILABLE IN 20' LENGTHS in Florida ONLY \***

**\* SPECIAL ORDER ONLY!**

NOMINAL SIZE	10' PART NUMBER	10' PALLET QTY BELLED END	SOLID PERFORATED GREEN OR WHITE	WEIGHT per 100'	O.D.
4"	15216	950	SOLID WHITE	100.00	4.215
	15316	950	4-8 PERF WHITE	100.00	4.215
	15416	950	4-6-8 PERF WHITE	100.00	4.215
4"	15616	950	SOLID GREEN	100.00	4.215
	15716	950	4-8 PERF GREEN	100.00	4.215
	15816	950	4-6-8 PERF GREEN	100.00	4.215
6"	15224	390	SOLID WHITE	220.00	6.275
	15324	390	4-8 PERF WHITE	220.00	6.275
	15424	390	4-6-8 PERF WHITE	220.00	6.275
6"	15624	390	SOLID GREEN	220.00	6.275
	15724	390	4-8 PERF GREEN	220.00	6.275
	15824	390	4-6-8 PERF GREEN	220.00	6.275
8"	15232	220	SOLID WHITE	429.00	8.400

Perforated pipe is available in 2-Hole & 3-Hole configurations:

2-Hole 5/8" perforations - 5" on center - 120 degrees apart - 4-8 o'clock positions

3-Hole 5/8" perforations - 5" on center - 4-6-8 o'clock positions

## PVC RETAINED GASKET SEWER PIPE

**ASTM D 3034 SDR35**

**BELLED END - 14' LENGTHS - GREEN - SOLID**

NOMINAL SIZE	14' PART NUMBER	14' PALLET QTY BELLED END	WEIGHT per 100'	O.D.
4"	45040	840	112.00	4.215
6"	45060	392	249.00	6.275
8"	45084	308	445.00	8.400
10"	45104	154	694.00	10.500
12"	45124	154	996.00	12.500